



# sylvansport

go  EASY DIMENSIONS



	<b>GO EASY</b>	<b>GO EASY Essential</b>	<b>GO EASY Ultimate</b>
<b>Cost</b>	\$2,295	\$2,795	\$3,295
<b>Weight</b>	235lbs	260lbs	305lbs
<b>Total Carrying Capacity</b>	565lbs	540lbs	495lbs
<b>Rack Carrying Capacity</b>	165lbs	165lbs	165lbs
<b>GVWR</b>	800lbs	800lbs	800lbs
<b>Dimensions</b> (not incl crossbars)	150" x 62" x 35"	150" x 62" x 35"	150" x 62" x 35"
<b>Ground Clearance</b>	9.75" (to axle)	9.75" (to axle)	9.75" (to axle)   8" (to spare tire)
<b>Electrical</b>	Flat 4-pin connector plug	Flat 4-pin connector plug	Flat 4-pin connector plug
<b>Hitch</b>	1-1/4" or 2"	1-1/4" or 2"	1-1/4" or 2"
<b>Ball</b>	2" ball   15" ball height	2" ball   15" ball height	2" ball   15" ball height
<b>Coupler</b>	Soft touch handle One-step engagement	Soft touch handle One-step engagement	Soft touch handle One-step engagement
<b>Tongue</b>	75" standard length 45" short length (optional) Hardened steel	75" standard length 45" short length (optional) Hardened steel	75" standard length 45" short length (optional) Hardened steel
<b>Tongue Weight</b> (unloaded)	30lbs	30lbs	30lbs
<b>Rack System</b>	79" wide Thule ProBar crossbars Tool-free removal Compatible w/ most rack brands	79" wide Thule ProBar crossbars Tool-free removal for use as utility trailer Compatible w/ most rack brands	79" wide Thule ProBar crossbars Tool-free removal for use as utility trailer Compatible w/ most rack brands

<b>Load Height</b>	36"	36"	36"
<b>Frame</b>	Steel w/ two-step powder coat finish	Steel w/ two-step powder coat finish	Steel w/ two-step powder coat finish
<b>Rear Frame</b>	Rotomolded polyethylene	Rotomolded polyethylene Removable nylon mesh tailgate	Rotomolded polyethylene Removable nylon mesh tailgate
<b>Fenders</b>	Rotomolded polyethylene	Rotomolded polyethylene	Rotomolded polyethylene
<b>Cargo Deck</b>	N/A	63.5" x 43.5" Molded polyethylene 25lbs	44" x 43.5" Polished aluminum diamond plate 33lbs
<b>Storage Box</b>	N/A	N/A	6.2 cu ft Rotomolded polyethylene Waterproof kayak style hatch cover
<b>Lighting</b>	Waterproof marine-grade LED system	Waterproof marine-grade LED system	Waterproof marine-grade LED system
<b>Axle</b>	Dexter torsion axle Self-lubricating hubs	Dexter torsion axle Self-lubricating hubs	Dexter torsion axle Self-lubricating hubs
<b>Wheels</b>	12" Steel	12" aluminum	12" aluminum
<b>Tires</b>	Kenda LoadStar K353 4.80x12 Load range C (990lbs/tire) Speed limit: 65mph	Kenda LoadStar K353 4.80x12 Load range C (990lbs/tire) Speed limit: 65mph	Kenda LoadStar K353 4.80x12 Load range C (990lbs/tire) Speed limit: 65mph
<b>Spare Tire</b>	N/A	N/A	Kenda LoadStar 4.8/4.00-8 Galvanized steel wheel
<b>Versatility</b>	Upgradeable to Essential or Ultimate	Utility trailer	Utility trailer
<b>Assembly</b>	<1hr	<1hr	<1hr
<b>Warranty</b>	2 yrs	2yrs	2yrs